AD	
AD	

Award Number: DAMD17-01-1-0665

TITLE: Blocking Internalization of Phosphatidylethanolamine at Cleavage Furrow of Mitosis as a Novel Mechanism of Anti-Breast Cancer Strategy

PRINCIPAL INVESTIGATOR: Zheng Cui, M.D., Ph.D.

CONTRACTING ORGANIZATION: Wake Forest University School of Medicine
Winston-Salem, North Carolina 27157

REPORT DATE: June 2002

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved OMB No. 074-0188

the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503

3. REPORT TYPE AND DATES COVERED 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE June 2002 Annual (1 June 2001 - 31 May 2002) 5. FUNDING NUNUMBER 4. TITLE AND SUBTITLE DAMD17-01-1-0665 Blocking Internalization of Phosphatidylethanolamine at Cleavage Furrow of Mitosis as a Novel Mechanism of Anti-Breast Cancer Strategy 6. AUTHOR(S) Zheng Cui, M.D., Ph.D. 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER Wake Forest University School of Medicine Winston-Salem, North Carolina 27157 email - zhengcui@wfubmc.edu 9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY REPORT NUMBER U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012 11. SUPPLEMENTARY NOTES 12a. DISTRIBUTION / AVAILABILITY STATEMENT 12b. DISTRIBUTION CODE Approved for Public Release; Distribution Unlimited 13. ABSTRACT (Maximum 200 Words) During the formation of cleavage furrow of mitosis, phosphatidylethanolamine (PE) flips from inner leaflet of the plasma membrane to the outer leaflet specifically in the furrow region near the contractile ring. Immediately after the contractile ring separates the two daughter cells, PE returns from outer leaflet to inner leaflet. This transient movement of PE during cytokinesis is essential because blockage of this PE movement results in a failure of mitosis and leads to cell death. Cinnamycin produced by Streptoverticillium griseoverticillatum targets specifically to PE on cell surface at the cleavage furrow of mitotic cells but not the non-dividing cells. This proposal is to test if cinnamycin is a better anti-tumor drug for treatment of breast cancers because of several advantages: 1) Cinnamycin only targets proliferating cells but has no effect on nonproliferating cells. 2) The anti-proliferation activity doesn't require cinnamycin to enter the cells. 3) Cinnamycin doesn't have to suffer the effect of multi-drug resistance mechanism or cellular metabolism. Because cinnamycin is no longer available commercially, we had to devise production procedures and to purify this compound in our own lab. Thus, completion of this proposal

14. SUBJECT TERMS Breast cancer; cinnamyc.	15. NUMBER OF PAGES 4 16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT Unclassified Unclassified	18. SECURITY CLASSIFICATION OF THIS PAGE Unclassified Unclassified	19. SECURITY CLASSIFICATION OF ABSTRACT Unclassified	20. LIMITATION OF ABSTRACT Unlimited

would require longer time than that was originally proposed.

Table of Contents

Cover				1
SF 298				2
Introduction			7 -	4
Body				4

Annual Report

Introduction

During the formation of cleavage furrow of mitosis, phosphatidylethanolamine (PE) flips from inner leaflet of the plasma membrane to the outer leaflet specifically in the furrow region near the contractile ring. Immediately after the contractile ring separates the two daughter cells, PE returns from outer leaflet to inner leaflet. This transient movement of PE during cytokinesis is essential because blockage of this PE movement results in a failure of mitosis and leads to cell death. Cinnamycin produced by Streptoverticillium griseoverticillatum targets specifically to PE on cell surface at the cleavage furrow of mitotic cells but not the non-dividing cells. This proposal is to test if cinnamycin is a better anti-tumor drug for treatment of mammary cancer models in mice.

Progress

Because cinnamycin is no longer available commercially, we had to devise production procedures and to purify this compound in our own lab. Thus, completion of this proposal would require longer time than that was originally proposed. In the initial funding period, we have performed extensive literature search for commercial source of cinnamycin suppliers. However, none of the previous suppliers continues to sell this compound. We proceeded to contact several academic investigators who have published using this compound. All these investigators have stopped to use this compound and no longer have it in their possession. Thus we have decided to produce and purify this compound in our own lab. We are now in the process to establish culture procedure for growing bacterium Streptoverticillium griseoverticillatum and devise purification method for isolation of pure cinnamycin. We anticipate that this phase would require at least 1 year.